

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



6287
HORSFORD'S AUTUMN
SUPPLEMENT FOR 1906

U. S. Department of Agriculture,
Washington, D. C.


HARDY PLANTS

FROM A

HARDY CLIMATE



FRED'K H. HORSFORD
CHARLOTTE, VERMONT, U.S.A.



Lilium Dahuricum.



IN handing you my Autumn Supplement I wish to say that it is simply to go with the Spring Catalogue and contains a few things which are not set in spring. Most of the plants of the spring's list are set in autumn also. Autumn planting of Hardy Perennials has become as popular as spring planting and I sell every fall more than I do in the spring. Many of my customers insist that they have better results with fall setting. When plants are set so late in the fall that they do not have a chance to make any autumn growth, they should have a heavier protection than those have which become partly established; but I would advise protection for all plants set in the autumn. I mean protection the first winter. Bulbs which are entirely covered may not require much, being planted well under the surface, but even these are benefited by a covering in cold climates.

Much complaint has been made of the blighting of Candidum lilies this year and the meadow lilies and American Turk's Cap have also suffered much. In fact the blight has been very common on the wild meadow lilies in the fields.

I wish to say that I cannot warrant my Candidum bulbs to be free from blight, as I do not believe any are so, but when conditions for blight on this lily are as favorable for its development as they have been this year, I think they will have it. I can only secure the best stocks I can find and if not satisfactory to the purchaser, they must be returned within

five days. Most of the other kinds I offer are uncommonly fine this year and blight has not troubled them.

Kindly remember that those who purchase plants must return them within five days if not satisfactory. After five days I will not replace them. See fourth paragraph page 2 of spring catalogue.

Those who wish to call me by telephone during shipping season will please do so at 12.30 and 6.30 p. m.

LILIES

Most of the Lilies of this list may be set in September, but a few like *Auratum*, and all the *Speciosums*, *Sulphureum*, *Henryi* and *Maximowiczii* Red, are not ripe until October. Orders will be filled from beds as long as my stock lasts, but for the most part the *Candidums* will be imported.

For cultural directions and more definite description please see Spring Catalogue, which has been mailed.

These prices do not include postage, but simply bulbs boxed and delivered to my nearest freight or express office.

See spring list for delivery by mail.

	Each	Doz.
<i>Lilium auratum</i>	\$0 20	\$1 75
<i>L. Brownii</i>	50	
<i>L. Canadense</i> (Meadow Lily)	10	1 15
<i>L. candidum</i> (Madonna Lily) ... Should be set before October, to insure its fall growth..	15	1 40
<i>L. chalcedonicum</i>	50	
<i>L. croceum</i> . Golden yellow; blooms next after <i>Dahuricum</i>	15	
<i>L. Dahuricum</i> . No Lily in the world can be grown farther north and is more reliable in every way than this. It will soon in- crease and form clumps like the Tiger Lily.....	15	1 15
<i>L. elegans</i> var. <i>aurantiacum multiflorum</i> . A fine hardy and healthy form of this red- dish yellow flower.....	15	1 25
<i>L. elegans</i> var. <i>atresanguineum</i>	20	
<i>L.</i> “ var. <i>Best Red</i> . A medium kind as to height; very vigorous and healthy	15	1 25
<i>L. elegans</i> var. <i>Cloth of Gold</i>	40	
<i>L. elegans</i> var. <i>fulgens</i> (<i>Batemanianæ</i>). Good height; erect; reddish salmon flowers; fine.	15	

	Each	Doz.
<i>L. elegans</i> , var. <i>nigromaculatum</i> . A dwarf form, with salmon-yellow flowers; much later than most varieties.....	20	
<i>L. elegans</i> , var. <i>Thunbergianum</i> per 100, \$6...	10	1 00
<i>L. " var. umbellatum</i>	15	
<i>L. " var. Wallacei</i> . A fine, low-growing hardy variety, almost as late as <i>Nigromaculatum</i> , and with reddish yellow flowers.	15	
<i>L. elegans</i> , Mixed		75
<i>L. excelsum</i> . See <i>L. testaceum</i> .		
<i>L. Grayi</i>	35	
<i>L. Hansoni</i> . See <i>L. maculatum</i> .		
<i>L. Henryi</i> . Somewhat like <i>Speciosum</i> , but has orange-yellow flowers. Rare.....	75	7 00
<i>L. Humboldtii</i> . See <i>L. puberulum</i> .		
<i>L. Japonicum</i> , var. <i>roseum</i> (<i>Krameri</i>).....	20	
<i>L. Krameri</i> . See <i>L. Japonicum roseum</i> .		
<i>L. longiflorum</i> . Long, funnel-shaped flowers, pure white; fine.....	15	1 45
<i>L. maculatum</i> (<i>Hansoni</i>). One of the most permanent	75	7 00
<i>L. monodelphum</i> (<i>Colchicum</i>). A fine, early, creamy yellow Lily, with flowers tipped with wine-color at base.....	50	
<i>L. Philadelphicum</i> . Erect; deep orange-red flowers.	15	1 25
<i>L. philippinensis</i>	20	2 00
<i>L. puberulum</i> (<i>Humboldtii</i>). A most beautiful kind. Plant deep in well-drained soil..	50	
<i>L. speciosum</i> var. <i>album</i> . Delicate white flowers	25	1 65
<i>L. speciosum</i> , var. <i>Kraetzeri</i>	30	
<i>L. " roseum</i>	25	2 05
<i>L. " var. rubrum</i> . One of the best of the Japan Lilies; red and white flowers..	15	1 25

	Each	Doz.
L. sulphureum (Wallichianum superbum). Flowers long and large, funnel-shaped, sulphur-yellow within, chocolate-white without. A grand Lily.....	1 00	10 00
L. superbum (American Turk's Cap Lily). One of the taller-growing kinds when well established in rich soil.....	15	1 35
L. testaceum (excelsum). A fine and rare Lily, with nankeen-yellow flowers on tall and graceful stems rather early in summer..	50	
L. tenuifolium (Coral Lily of Siberia). Hand- some scarlet flowers.....	15	1 35
L. tigrinum (Tiger Lily).....	08	80
L. " var. plenescens (Double Tiger Lily)	15	
L. tigrinum var. splendens	12	1 20
L. Wallacei . See <i>L. elegans</i> , var. <i>Wallacei</i> .		
L. Wallichianum superbum . See <i>L. sulphur-</i> <i>eum</i> .		
L. Washingtonianum	50	

DAFFODILS, or NARCISSI

Early-flowering bulbous plants, coming before the tulips and after the crocus. One of the most important groups; fine for cutting and of easy culture. Though any good garden soil suits, they prefer a rather stiff, deep soil, and if the situation is such that they are shaded from the sun a portion (a third or half) of the time, so much the better. They do well among shrubbery. To get the best results, they should be set in August or September, so as to make a good root-growth before winter. When late setting is done, the best results are postponed until the second season.

Many of the bulbs we plant in the fall, such as tulips, hyacinths, narcissi, etc., make a root-growth underground after being set. If we dig up such bulbs a week or two after they have been set, we are surprised at the new root-growth which

has formed at the base of the bulbs. This root-growth is often made quite late and at low temperature. Therefore when such bulbs are planted quite late in the fall it is well to place a thick covering of straw manure, leaves, or some sort of covering over them to keep out frost as long as possible, so this root-growth may continue even after the surface of the ground is frozen. I have seen fairly good results obtained in this way with late planting. The covering should come off in the early spring before the bulbs are up.

If by mail add 6 cts. per doz. for those without stars, and 10 cts. per doz. for those marked with a star.

	Each	Doz.
* N. bicolor Empress. Very large flowers; white perianth, rich yellow trumpet; strong grower, and fine for cutting. per 100, \$7....\$0	08	50
* N. bicolor Horsfieldii. Very large and early; yellow trumpet and white perianth, per 100, \$5	08	50
N. bicolor, Mrs Walter T Ware. A fine new sort, with broad white perianth and golden trumpet.	15	
N. bulbocodium citrinum (Hoop Petticoat Daffodil).	05	35
N. Burbidgei. One of the most charming for cutting. Clear white cup, margined bright cinnabar red; a beautiful early-flowering form of <i>Poeticus</i> which comes before <i>Poeticus ornatus</i> . Very effective when bunched. The color of the cup is very rich when cut in bud and opened under glass. Per 100, \$1.00.....	05	40
N. Burbidgei, John Bain. Large and broad white perianth, with small, citron-yellow cup and orange-scarlet edge	08	50
N. Henry Irving. Noted for its deep yellow, wheel-shaped perianth, and large and handsome yellow trumpet.....	10	75

	Each	Doz.
N. incomparabilis Queen Bess	05	45
*N. Johnstoni, Queen of Spain. One of the best of new Daffodils. Soft cream, delicate clear yellow trumpet; perianth same color, reflexing. Flowers vary slightly in size.		
	10	1 00
N. Leedsii. Silvery white, starry perianth; lemon-yellow cup, passing to white. A beautiful sweet-scented flower; fine for bouquets..... per 100, \$1.50.....		
	03	25
N. poeticus per 100, \$1.25.....	03	25
N. poeticus ornatus. One of the earliest of the Poet's Narcissi: a free bloomer per 100, \$1.50		
	05	35
N. princeps. Sulphur-yellow perianth and deep yellow trumpet. A fine variety.....		
	05	30
N. Jonquilla. Single yellow Jonquils; yellow, fragrant flowers..... per 100, 90 cts....		
		25
N. incomparabilis, Double. (Butter and Eggs). A large and showy double variety. One of the largest of the double sorts, per 100, \$2.		
	05	35
*Mixed Daffodils, to naturalize in meadows, etc. A first-class mixture, comprising many of the best herein listed.... per 100, \$1.00...		
	05	30

CROCUSES

The ordinary spring-flowering Crocus will thrive in nearly all soils and positions.

Add 5 cents per dozen if to be sent by mail.

	Doz.	100
Mixed Crocuses	\$0 10	\$0 40
“ “ Striped	10	45
Mixed Crocuses. White	10	60
“ “ Yellow	20	1 00
“ “ Blue and Purple	10	45

TULIPS IN MIXED COLORS

Tulips like good drainage, and when planted over a gravelly subsoil or bottom succeed best. It is a good plan to surround the bulbs with sand, unless they are put into a sandy soil. A depth of 4 inches is none too deep for cold climates. Set the bulbs 5 or 6 inches apart.

In ordering Tulips by post, add 6 cents per dozen for postage.

	Doz.	100
Large Early Single.....	\$0 20	\$1 25
“ Late “.....	25	1 25
“ Early Double.....	20	1 25
“ Late “.....	30	2 00

100 Tulips in the above four kinds, 25 of each, for \$1.25;
400 bulbs, 100 of each, \$4.

Canary Bird.....	35	2 00
White Single.....	40	2 50
Duc Van Thol.....	25	
Mixed.....	20	1 00
Parrot.....	40	2 30
Artus. Single; bright scarlet.....	25	
Darwins, Mixed.....	40	2 00
Duke of York.....	40	
Queen Victoria. Large, white.....	45	2 25
Pax Alba.....	45	

ERYTHRONIUMS

(Dog's-Tooth Violets)

Early-blooming, bulbous plants, which must be set in autumn. They come up among the first flowers of spring, and are very interesting, both in flower and leaf.

Add 3 cents per dozen if by post.

	Each	Doz.
Erythronium Americanum (Common Adder-Tongue). Handsome bright yellow flowers; hardy.....	\$0 08	\$0 50

FRITILLARIAS

These like a sandy or gravelly soil, with good drainage.

Add 5 cents per dozen for postage for those without stars, and 10 cents for those marked with a star.

	Each	Doz.
* Fritillaria Imperialis (Crown Imperial)	\$0 15	\$0 30
F. Meleagris. Various shades of purple, light yellow, etc.	05	40

HYACINTHS FOR BEDS

Hyacinths like a light, loamy soil and full sun. A light coating of well-composted manure, if the ground is not already well supplied, will be of value. Plant about 3 inches deep, and if the best flowers are desired the bulbs should be from 7 to 9 inches apart.

Add 16 cents per dozen for postage if by mail.

	Each	Doz.
Double Mixed	\$ 10	\$0 80
Double White and Blush	10	85
Single Mixed	09	70
Single Red and Rose	10	80
Single White	12	1 00
Single Yellow	12	1 00

TRILLIUMS

American Wood Lily, Indian Shamrock, or Three-Leaved Nightshade

For the Shady Corner.

Like most early-blooming plants, Trilliums give better results the following spring when planted in autumn in time to make their regular root-growth, which seems to take place a few weeks after the stems have died. They form a very pretty group, which comes into bloom early, and whose leaves make a good display after the flower has passed. Trilliums like a soil with a mixture of leaf-mold or peat, and for most of them a little well-rotted manure will be beneficial. Although they may, as a rule, be grown in the

sun, a partial shade is the most natural place. They look best when in good-sized groups. In a good position they will last almost indefinitely.

Add 10 cents per dozen if by mail.

	Each	Doz.
Trillium erectum. Purple.....	\$0 10	\$1 00
T. " albidum. White.....	10	1 00
T. grandiflorum White....per 100, \$2.50.....	05	40
T. erythrocarpum (Painted Trillium).....	10	1 00
T. petiolatum	12	1 15
T. sesile giganteum	20	

BULBOUS IRIS

For fuller list of Iris, see my Spring Catalogue.

	Each	Doz.
Iris Susiana (Mourning Widow). A large, striking species from Asia Minor. One of the best for pot culture.....	\$0 15	\$ 1 35
Iris Xiphium (Spanish Iris). Very fine bulbous flowering plants, coming into bloom soon after the German Iris, with blue, white and yellow flowers.....	05	35
I. xiphoides (English Iris). Large flowers in handsome blue and white colors, about as tall as the Spanish Iris, and coming just after it.....	08	60

Miscellaneous Bulbs and Plants

Which, because they bloom early, or for other reasons, are set in autumn.

See my Spring Catalogue for cost of postage if sent by mail.

	Each	Doz.
Arisaema Dracontium (Green Dragon).....	\$ 12	
Arisaema triphyllum (Indian Turnip).....	12	1 00
Camassia Cusickii (Giant Camas).....	10	1 00
Campanula Raineri	15	1 25

	Each	Doz.
Chionodoxa Luciliæ (Glory of the Snow)	05	30
“ Sardensis	05	30
Claytonia Virginica (Spring Beauty)	06	55
C. Caroliniana	06	55
Colchicum. A curious, hardy, bulbous plant, with foliage and fruit in early summer, while the flower comes in autumn. The foliage dies down before the flowers appear. Stems 3 to 6 inches high. Sometimes called the Autumn Crocus.		
C. autumnale. Reddish purple	08	
C. “ var. album	08	
C. variegatum. Rose-purple	06	
Dicentra Cucularia (Duchman's Breeches)	10	1 00
“ Canadensis (Squirrel Corn)	10	1 00
Dodecatheon Meadia	15	1 35
Eremurus Himalaicus	2 25	
Eremurus robustus. See Spring List	2 75	
Mertensia pulmonarioides (Verginica). The Virginia Cowslip. See Spring List		
	10	1 00
Ornithogalum Arabicum (Star of Bethlehem)	06	60
Platycodon (Campanula, or Chinese Bell-flower). One of the most attractive hardy perennials to people who like a blue or white flower. It should be planted so that the buds are an inch under. For cutting they are very fine, and last for many days.		
P. grandiflorum. Blue flowers	10	1 00
P. “ var. album	15	1 20
P. “ var. autumnale	15	1 30
Podophyllum peltatum (Wild Mandrake)	10	1 00
Polygonatum biflorum (Smaller Solomon's Seal)	15	
P. giganteum (Great Solomon's Seal)	20	
Syndesmon thalictroides (Anemone thalictroides). A charming little early wood flower. Nice for shade of deciduous trees		
	12	1 25

Plants Not Offered in Spring List

HERBACEOUS.

	Each	Doz.
<i>Actaea alba</i>	\$ 15	
<i>Aquilegia alpina</i>	15	\$1 25
“ <i>vulgaris alba</i>	15	
“ <i>chrysantha alba</i>	15	
“ <i>atropurpurea</i>	20	
“ <i>Skinneri</i>	15	1 25
<i>Amianthium muscatoxicum</i>	12	1 15
<i>Anomone Canadensis</i> . <i>A. Pennsylvanica</i>)...	10	1 00
<i>Aconitum Stoerkianum</i>	15	
<i>Astilba Japonicum</i>	15	
<i>Actinomeris squarrosa</i>	12	
<i>Aconitum hybridum praecox</i>	12	
“ <i>bicolor</i> . Handsome blue and white flowers	15	1 35
<i>Armeria alpina</i>	15	
“ <i>formosa</i>	15	
<i>Cypripedium candidum</i> (dozen rates upon ap- plication).....	25	
<i>Campanula pusilla</i> . Dwarf for rockwork....	15	
<i>Chelone glaber</i> . Turtle Head or Snake Head.	15	1 25
“ <i>Lyoni</i>	15	
<i>Campanula medium cæruleum</i>	12	1 20
“ “ <i>Double Rose</i>	12	1 20
“ “ <i>Single Rose</i>	12	1 20
“ “ <i>Calycanthemum</i> (Cup and Saucer.)	12	1 20
<i>Clematis integrifolia Durandii</i>	25	
“ <i>montana</i>	25	
<i>Delphinium Mackianum</i>	15	1 25
<i>Dianthus laciniatus</i>	25	
“ <i>Napoleon III</i> . Deep scarlet	20	
“ <i>Grass or Clove</i> . Pink, Vermont pink.	15	1 25
“ <i>Mrs. Simpkins</i>	15	

	Each	Doz.
<i>Dicentra formosa</i>	15	
<i>Dianthus Barbatus</i> . White.....	12	
<i>Delphinium speciosum</i> . Tall, blue.....	15	
<i>Dionaea muscipula</i> . Venus Fly Trap.....	15	
Double Buttercup.....	08	80
<i>Echinops exaltatus</i> . Tall Globe Thistle	15	
“ <i>Dahuricus</i>	20	
English Ivy (not hardy). Fine strong plants. From pots.....	25	
<i>Eupatorium ageratoides</i>	12	
<i>Epimedium alpinum</i>	15	
Flowering Almond. 2 ft.....	25	
<i>Hypericum elegans</i>	12	
<i>Hesperis matronalis alba</i>	12	
<i>Helenium autumnale</i> , var. <i>pumilum</i>	10	
<i>Iris pallida</i>	10	1 00
“ <i>Fisheri</i> . Tall, blue.....	10	1 00
“ <i>Germanica</i> Walter Scott.....	12	
“ “ <i>Socrates</i>	12	
“ <i>graminea</i>	10	1 00
<i>Inula hirta</i>	15	
<i>Lupinus polyphillus roseus</i> . A novelty, fine..	25	
<i>Lysimachia numularia</i> . Moneywort, Creep- ing Charley.....	10	1 00
<i>Phlox paniculata</i> <i>Ætna</i> . A fine orange red....	15	1 50
“ “ <i>F. W. Maure</i> . Orange salmon..	15	1 50
“ “ <i>Anna Crozy</i> . Splendid white..	15	1 50
“ <i>The Queen</i> . A fine, tall, white variety	15	1 50
<i>Phlox The Pearl</i> . Charming white form....	15	1 50
<i>Pardanthus Chinensis</i> . Chinese Blackberry Lily	15	
<i>Pentstemon Barbatus</i> <i>Torreyi</i>	15	
“ <i>Grandiflorus</i> . Finest hardy sort...	15	1 35
<i>Potentilla rupestris</i> , White flowers, yellow centre	20	

	Each	Doz.
<i>Polygonum amplexicaule</i> var. <i>oxyphylla</i> . Fine for cutting.....	15	
<i>Polemonium caeruleum</i> . White.....	12	
<i>Polygenatum multiflorum</i> . David's Harp.....	15	1 50
<i>Paeonia</i> Victor Lemoine.....	40	
“ <i>officinalis</i> . Red.....	35	
“ <i>Arthur</i> . Pale red.....	40	
<i>Sedum pallidum roseum</i>	10	1 00
“ <i>maximum</i>	12	1 20
<i>Sarracenia rubra</i>	15	
<i>Sempervivum Pyreniacum</i> (House Leak).....	10	1 00
<i>Thalictrum minus</i>	15	
“ <i>adiantifolium</i>	15	
<i>Viola pedata</i>	10	1 00
“ <i>palmata</i>	12	
“ <i>cornuta alba</i>	12	
<i>Veronica gentianoides pallidiflora</i>	12	1 25
<i>Waldstenia frageroides</i>	12	

Woody Plants

	Each	Doz.
<i>Crataegus coccineus</i> . 4-5 ft.....	15	
<i>Celastrus</i> . Japanese variety.....	15	
<i>Akebia quinnata</i>	20	
<i>Aristolochia tomentosa</i>	75	
<i>Coanethus Americanus</i> . 1 ft.....	15	
<i>Cotoneaster Simonsii</i> . 12-18 inches.....	20	
<i>Cornus sanguinea</i> . 3-4 ft.....	20	
<i>Amelanchier Canadensis</i> . 6 ft.....	35	
<i>Tamarix Africanus</i>	15	
<i>Hydrangea arborescens</i> . 2-3 ft.....	20	
<i>Monispermim Canadense</i> . Moon Seed.....	15	
<i>Lonicera flava</i>	20	
<i>Wisteria sinensis alba</i>	20	

Rosa Dorothy Perkins. One of the best trailers.....	30	3 00
“ multiflora	15	
“ Yellow Capucine. Single yellow.....	30	
“ lucida , charming hardy wild rose, single	20	1 75
Sambucus racemosus. Red-berried Elder, 2 ft	20	1 50
Ledum latifolium	12	
Spiraea Lindleyana. 3-4 ft.....	15	
Platanus orientalis, 4-5 ft.....	20	
Spiraea Bumalda. 2 ft.....	25	
Ribes aureum. 3 ft.....	20	
Syringa vulgaris. Common Lilac, 18-24 in...	20	
“ “ alba. 2-3 ft.....	25	
Schizonotus discolor (Spiraea discolor). 2 ft.	20	
Virgilia lutea. 4-6 ft.....	25	

Bargain List

I have offered for several years in my Fall Supplement this list of special bargains, which has resulted in a large trade in this way. These sets are made up of plants mentioned in my Spring List, and are offered cheaper in this way than in smaller lots because we have a large stock of these, and in autumn we have more time to fill orders. These offers are not open to spring delivery, because then we cannot spare the time they require in filling. Those wishing to take advantage of any offers for shrubs, trees, etc., in this list, for spring setting, can get them in November, and cover them in any well-drained soil, leaving only the tips of the branches exposed, where they will keep in perfect condition, and may be set in spring as soon as the ground is ready. For cost of boxing trees and shrubs, see my Spring Catalogue. These prices do not include postage. Parties wishing these sets by mail will be given cost of postage upon application, where mailing is possible. We can ship safely by freight in autumn most of the plants we grow, even as far as California. These offers are subject to surplus stock not being sold. This stock is not a poorer

grade than is used in filling orders for single or dozen lots. Deciduous trees and shrubs had better not be moved before October. Bulbs and plants which are entirely covered when set can be ordered until winter prevents.

Shrubs, trees and plants set in autumn, and mulched well before winter to prevent heaving, often do better than when set in spring, especially when spring setting is late. Trees may be banked up 6 to 10 inches with soil, shrubs mulched with 2 to 3 inches of straw manure, and herbaceous plants covered lightly with brush, pine boughs, buckwheat straw or any similar substance that will protect without smothering.

Please do not ask us to divide up these offers nor to fill orders from this after December.

25	Anemone Japonica.	3 or more kinds.....	\$1 80
25	Aquilegias (Columbines).	3 or more kinds.....	1 45
25	A. Canadensis	1 50
20	A. vulgaris	1 30
25	A. Sibirica. (Siberian Columbine)	1 35
15	Asclepias tuberosa	1 00
25	Aruncus astilboides	1 25
25	Boltonias.	2 kinds.....	1 65
20	Bee Larkspurs	1 50
15	Blue Lupines	1 30
30	Blue Veronicas	1 25
20	Bird's-foot Violets.	2 sorts.....	1 50
20	Berberis.	2 kinds, Purple and common.....	1 50
10	Box Maple.	4-5 ft.....	1 00
25	Birches.	2 kinds, 3-4 ft.....	1 65
25	Campanulas.	3 kinds.....	1 55
20	Campanulas Raineri	1 55
25	Canada Violets,	for shade.....	1 45
15	Clematis.	2 or more kinds.....	1 30
20	Coreopsis.	2 kinds.....	1 45
25	Mixed Canterbury Bells	1 50
25	Canterbury Bells.	2 or more forms.....	1 60

25	Chrysanthimums.	3 or more sorts, hardy.....	1 70
25	“	maximum	1 50
25	“	Shasta Daisy	1 65
25	“	parthenium. Feverfew double form.....	1 20
15	Chinese Larkspurs		1 00
20	Delphinium Cashmerianum		1 60
20	Deutzias , in 2 or more kinds.....		1 60
25	English Daisies		1 30
25	Evening Primrose (<i>CENOTHERA FRUTICOSA</i>)..		1 45
20	English Cowslips		1 35
25	German Iris. 5 kinds.....		1 75
12	Golden Spiræa. 2-3 ft.....		1 05
25	Heleniums. 2 or more kinds.....		1 50
25	Helenium autumnale		1 25
20	“	nudiflorum	1 15
15	Helianthus orgyalis. (Graceful Sunflower).....		1 00
25	Hepaticas. 2 sorts.....		1 40
25	Hardy Phlox. Mixed colors.....		1 20
20	Hydrangæa paniculata grandiflora. 18—24 in.....		2 00
20	Hardy Maples. 3—6 ft. 3 kinds.....		1 90
25	Iris in 4 kinds, Siberian, German, English, Spanish.		1 15
25	Iris in 8 kinds.....		1 40
25	Iceland Poppies		1 35
25	Lilies in 5 kinds		1 75
25	Lilies in 6 kinds.....		2 15
25	Lilium Thunbergii		1 50
25	Ladies' Slippers. Hardy, 3 kinds.....		3 50
25	Lychnis , 2 or more sorts.....		1 40
25	Mixed Hollyhocks		1 50
25	Mertensia Virginica. Virginia Cowslip.....		1 45
25	Mixed Perennial Larkspurs		1 20
20	Plantain Lilies (Funkias). 3 kinds.....		1 75
25	Perennial Sunflowers. 3 kinds.....		1 40
25	Perennial Larkspurs. 3 named sorts.....		1 50
15	Perennial Poppies. 3 kinds.....		1 30

25	Phlox Anna Crozy, white.....	2 00
20	Japan Quince.....	1 75
25	Trilliums. 3 kinds.....	1 10
20	Theomsp's Caroliniana.....	1 30
25	Tall White Phlox. 2 kinds.....	2 00
20	Sedum spectabile.....	1 65
20	Rosa rugosa.....	2 25
20	Virginia Creeper or Woodbine.....	1 45
25	Violets. 3 kinds.....	1 30
25	Stone Crops—Sedums for rockwork, 3 kinds.....	1 40
25	St. Bernard's Lily.....	1 50
20	St. Bruno's Lily.....	1 65
25	Summer Hyacinths (<i>Galtonia Candicans</i>).....	65
25	Spiraes. 3 kinds.....	1 75
25	Vines and Climbers.....	1 50
25	Viburnums <i>Lentago</i> . 5 ft.....	2 00
25	Viburnums. 2 kinds.....	2 10
25	Paeonias. My selection.....	3 75
25	<i>Sanguinaria</i> (Blood Root).....	1 15
25	Sweet Williams.....	1 65
15	Star of Bethlehem.....	40
36	Shrubs in 5 or more kinds, my selection, suitable for a mixed border or bed 4 ft. wide and 15 ft. long, with directions for placing.....	4 50

The following lists showing time of flowering may be useful in the selection of plants and assist in determining period of bloom.

The Following Were in Flower June 4, 1906

Iberis saxatile corefolia, *Iris Missouriensis*, *Veronica gentianoides*, *Hesperis matronalis*, *Asperula galioides*, *Iris ensata*, *Iris Fisheri*, *Thermopsis montana*, *Centaurea montana*, *Potentilla rupestris*, *Phlox reptans*, *Paeonia ecffinalis* single, *Sedum ternatum*, *Anemone sylvestris*, *Aquilegia caerulea*, *Azalea nudiflora*, *Aquilegia vulgaris*, *Iris cengalti*, *Aquilegia Sibirica*, *Eremurus robustus*, *Rhododendron punctatum*, *Primula farinosa*, *Spiraea Van Houttii*, *Caragana Sibirica*, *Dicentra spectabilis*, *Aquilegia Canadensis*, *A. Olympica*, *Iris Hookeri*, *Ilongipetala*, *Iris florentina*, *I. purpurea grandiflora*, *I. Gracius*, *I. flavescens*, *Paeonia tenuifolia*, *P. officinalis rosea*, *Trollius Asiaticus*, *Phlox pilosa*, *Alyssum saxatile compactum*, *Lupinus pollyphyllus*, blue and white.

Plants in Flower June 24, 1906

Dictamnus alba and *rubra*, *Hemerocallis flava*, *Viburnum Plicatum*, *Lilium davuricum*, *Lilium Thunbergii*, Chinese

Paeonias, *Armeria plantaginea*, *Chrysanthemum coccineum*, *Lilium monadelphum*, *L. umbellatum*, *L. tenuifolium*, *Thermopsis Caroliniana*, *Spiraea arunous*, *Hemerocallis Dumortieri*, *Incarvilla Delavayi*, *Thalictrum aquilegifolium*, *Dicentra spectabilis*, *Pentstemon grandiflorus*, *Delphinium elatum*, *Pentstemon ovatus*, *Campanula percisaefolia*, *Iberis tenoriana*, *Dianthus superbus*, Canterbury Bells, *Delphinium Cashmerianum*, *Centaurea montana*, *Heuchera sanguinea*, *Hemerocallis Dumortieri*, *Delphinium hybridum*, *Dianthus deltoides*, *Digitalis ambigua*, *Gaillardia*, *Linum Austriacum*, *Anchusa Italica* *Ulmaria fillependula*, *Dianthus Barbatus*, *Phlox pilosa*, *Silene alpestris*, *Cerastium tementosum*, *Lilium maritagon*, Rose Prince Camille de Rohan, Mme. Plantier rose, Pink Rambler rose, *Lonicera Periclymenum* var., Belgica, *Exochorda Grandiflora*, *Dictamnus albus*, *Lupinus polyphylus*, *Aquilegia vulgaris*, *Armeria alpina*, *Iris pseudoacorus*, *Malva moschata*, *Papaver Orientale*, *Lychnis grandiflora*, *L. chalcedonica*, *Aster alpinus*, *Bupthallum salicifolium*, *Rosa rugosa*, *Linum flavum*, *Thalictrum minus*, *Papaver nudicaule*, *Oenothera fruticosa*, *Sedum Aizoon*, *S. acre*, *Clematis recta*, *C. integrifolia*, *Iris Sibirica*, *Pentstemon digitalis*, *Baptisia Australis*, *Sedum hybridum*, *Viola alpestris*, *Geranium Ibericum*, *Achillea millefolium roseum*, *Bellis perennis*, *Chrysanthemum coccineum*, *Malva moschata*, *Tradescantia Virginica*, *Campanula Raineri*, *C. punctata*, *Lychnis Flos Jovis*, *Papaver pilosum*, *Gillenia trifoliata*, *Phlox maculata*, *Lychnis viscaria* fl pl, *Pentstemon acuminatus*, *Anemone Pennsylvanica*, *Aquilegia chrysantha*, *Hypochoeris uniflora*, *Verbascum nigrum*, *Iris xiphium*, Mme. Plantier rose, Baby Rambler rose, Russell's Cottage rose, Paul Neyron rose, *Sempervivum Pyreniacum*, *Potentilla formosa*, *Potentilla perfecta plena*, *Delphinium caucasicum*, *Dianthus caesius*, *Campanula medium*, *Lychnis coronata*, *Coreopsis lanceolata*, *Philadelphus Le Moinei*, *Myosotis semperflorens*, *Lychnis Chalcedonica*, *Hemerocallis flava*, *Lilium bulbiferum*, *L. atrosanguineum*, *Astilbe Japonica*, *Dicentra eximia*, *D. formosa*.

Plants in Flower July 20, 1906

Cimicifuga racemosa, *Digitalis ambigua*, *D. lanata*, *Veronica spicata*, *Asclepias Lilago*, *Dianthus barbatus*, *Platycodon grandiflorum*, *P. Marisii*, *Erigeron glaucus*, *Phlox White Swan*, *Tunica saxifraga*, *Gypsophila paniculata*, *Delphinium crassifolium*, *D. hybridum*, *Malva moschata*, *Lychnis grandiflora*, *Chrysanthemum maximum*, *C. Shasta Daisy*, *Campanula Raineri*, *C. carpatica*, *C. pusilla*, *C. glomerata*,


Azalea viscosa, *Lychnis chalcedonica*, *Iris laevigata*, *Phlox* Ball of Fire, *P. Eclare*, *P. F. W. Maure*, *Rosa Setigera*, *R. lucida*, *R. rugosa*, *Deutzia scabra* fl pl, *D. Pride of Rochester*, *Spiraea callosa alba*, *S. callosa superba*, *S. Anthony Waterer*, *Rose Crimson Rambler*, *Rose Dorothy Perkins*, *Dracocephalum grandiflorum*, *Coreopsis lanceolata*, *C. verticellata*, *Lilium croceum*, *Funkia variegata*, *Ulmaria rubra venusta*, *U. pentapetala* fl pl, *Aconitum bico'or*, *Lilium superbum*, *L. Canadense*, *L. Krameri*, *Hemerocallis fulva*, *Oenothera Missouriensis*, *Helenium autumnale magnificum*, *Lilium elegans Best Red*, *Achillea The Pearl*, *Asclepias tuberosa*, *Potentilla perfecta plena*, *Funkia Fortuni*, *Delphinium grandiflorum*, *D. Cashmerianum*, *Canterbury Bells*, *Heuchera sanguinea*, *Bocconia cordata*, *Althaea rosea*, *Dianthus superbus*, *Digitalis Sibirica*, *Lychnis Haageana*, *Viola cornuta*, *Hemerocallis Thunbergii*, *H. Kawanso*, *Lilium testaceum*, *L. Hansoni*, *L. Brownii*, *Dicentra eximia*, *Aconitum hybridum praecox*, *A. Napellus albus*, *Lilium elegans atrosanguineum*, *Gaillardia*, *Heliopsis Pitcheriana*, *Euphorbia corollata*, *Actinomeris squarrosa*, *Lychnis coronaria*, *Spiraea Bumalda*, *Sorbaria sorbifolia*, *Queen of the prairie rose*, *Armeria plantaginea*, *Ceanothus Americanus*, *Lilium auratum*, *Mme. George Bruant rose*, *Astilbe Chinensis*, *Lilium tenuifolium*, *Lilium longiflorum*, *Jersey Beauty rose*, *Gardenia rose*, *Pentstemon digitalis*, *Viola alpestris*, *Verbascum nigrum*, *Delphinium scopulorum*, *Cephalaria Tartarica*, *Campanula punctata*, *Sedum stoloniferum*, *Yucca filamentosa*, *Alyssum argenteum*, *Funkia ovata*, *Dracocephalum nigricans*, *Achillea fillependula*, *Thalictrum polygonum*, *Lathyrus latifolius*, *Lythrum roseum superbum*, *Heliopsis scarbra*, *Aquilegia chrysantha*, *Anthemis tinctoria*, *Clematis integrifolia*, *Sedum pulchrum*, *Convolvulus Japonicus*, *Hypericum Ascyron*, *Ulmaria fillependula* fl pl, *Jasione perennis*, *Stokesia Cyana*, *Aquilegia Skinneri*, *Centaurea Ruthenica*, *Spiraea Billardi*, *Campanula percisaefolia*, *Digitalis Sibirica*, *Phlox maculata*, *Pentstemon Barbatus*, *Achillea tomentosa*, *Stachys lanata*, *Eryngium amethystinum*, *Echinops exaltatus*, *Lilium Philippinensis*.

Many of these last mentioned will still be in bloom by the middle of August. See Spring Catalogue for descriptions and prices.

F. H. HORSFORD,

Charlotte, Vermont.





Campanula pusilla.